
SHADE FABRIC



FABRIC SPECIFICATIONS

SHADETEC 320®

Shade Factor % (SF depends on colour - see below for details)	75-97 %
UVR Block %	91-95 %
Roll Width	3.7m
Roll Length	50m
Heat set to increase dimensional stability and consistency	
Abrasion resistant yarn	

Arctic White	Coastal Cream	Desert Sand	Alpine Silver	Charcoal Grey
SF=75%	SF=77%	SF=87%	SF=94%	SF=95%
Ocean Blue	Deep Sea Navy	Canyon Tan	Sunshine Yellow	Carbon Black
SF=93%	SF=96%	SF=92%	SF=80%	SF=97%
Meadow Green	Forest Green	Lava Red	River Sand	FABRIC 13 YEAR
SF=91%	SF=95%	SF=91%	SF=90%	WARRANTY
				WAD-

SHADETEC 320° IS IDEAL FOR:

- ✓ Small-medium size Shade Sails
- ✓ Umbrella Covers
- ✓ Sun Blinds
- ✓ Bin Covers
- **✓** Windbreaks

- ✔ Pergola/patio covers
- ✓ Awnings
- ✓ Privacy Screens
- ✓ Horticultural Shading

FEATURES



Shadetec 320° is a commercial grade shade cloth fabric manufactured from High Density Polyethylene (HDPE) monofilament and tape filament. All filament (or yarn) is lockstitch knitted together providing a very high strength fabric. Shadetec 320° is then heat set, which improves dimensional stability and consistency and ensures that the mesh will lie flat during fabrication.

Shadetec 320° is ideal for small to medium size applications where a premium grade shade fabric is required. Each colour in the range consists of single colour filaments, which provides consistent colour tone and texture throughout the entire roll.

Shadetec 320° not only offers a very high level of UV protection with 91% - 95% block, but is made from UV stabilised materials, ensuring that the fabric of your shade sails will continue to perform even after years of exposure to the elements. The super tough abrasion resistant yarn means excellent durability and longevity with great resistance to grime, mildew and dirt.

- ✓ High strength fabric
- ✓ Ideal for smaller residential shade sails
- ✓ Up to 97% shade offered
- ✓ 10 year warranty
- ✓ Stain, dirt and grime resistant
- ✓ Available in 14 colours
- ✓ Single colour filaments ensure consistent colour tone
- ✓ Eco-friendly 100% recyclable

SHADETEC **320**® fabric is covered with a 13 year UV warranty.



ENGINEERING SPECIFICATIONS



Breaking Force Warp (AS 2001.2.3.2-2001 Grab Method)	1433N/50mm	
Breaking Force Weft (AS2002.3.1-2001)	2210N/50mm 97.9%	
Elongation at Break Warp		
Elongation at Break Weft	73.5%	
Bursting Force (AS 2001.2.4-16990)	4750kPa	
Tear Strength Warp (AS 2001.2.19-1988 Mean)	3011N	
Tear Strength Weft (AS 2001.2.19-1988 Mean)	3011N	